



## Semiconductor Manufacturing Cylinder Gas Tungsten Hexafluoride

Our Product Introduction

for more products please visit us on [gascylindertank.com](http://gascylindertank.com)

### Basic Information

- Place of Origin: China
- Brand Name: CMC
- Certification: COA
- Model Number: Wf6
- Minimum Order Quantity: 1 Piece
- Price: US \$ 15/PC
- Packaging Details: Cylinder/Tank
- Delivery Time: 15 days
- Payment Terms: L/C, T/T
- Supply Ability: 200 Tons/Year



### Product Specification

- Product Name: Tungsten Hexafluoride
- Appearance: Colorless
- Orign: China
- Purity: 99.999%
- Transport: By Sea
- Transport Package: 10L/15kg
- Specification: 10L/15kg
- Trademark: CMC
- Origin: China
- HS Code: 2812190091
- Supply Ability: 200t/Year
- CAS No.: 7783-82-6
- Formula: Wf6
- EINECS: 232-029-1
- Constituent: Industrial Pure Air



### More Images



## Product Description

WF6 refers to tungsten hexafluoride, which is a chemical compound composed of one tungsten atom bonded to six fluorine atoms. Here are some key points about WF6:

Chemical Formula: WF6

Molecular Weight: 297.85 g/mol

Structure: tungsten hexafluoride has an octahedral molecular geometry, with the tungsten atom at the center and six fluorine atoms arranged around it.

Physical Properties: Tungsten hexafluoride is a yellowish-green gas at room temperature. It has a strong, pungent odor and is highly reactive.

Chemical Reactivity: Tungsten hexafluoride is a highly reactive compound, especially with water and moisture. It hydrolyzes rapidly in the presence of water, releasing hydrofluoric acid (HF) and tungstic acid (H<sub>2</sub>WO<sub>4</sub>). The hydrofluoric acid produced is highly corrosive and toxic.

Uses: Tungsten hexafluoride is primarily used in the semiconductor industry as a precursor for deposition of tungsten films during the fabrication of integrated circuits. It is also used in the production of tungsten metal and other tungsten compounds.

Safety Considerations: Tungsten hexafluoride is a hazardous compound due to its reactivity and the production of hydrofluoric acid upon contact with water or moisture. It is corrosive to many materials and can cause severe burns and tissue damage upon skin contact. Special care must be taken when handling, storing, and transporting WF6, and appropriate safety protocols must be followed.

Environmental Impact: Tungsten hexafluoride is not considered a significant environmental pollutant. However, its hydrolysis products, such as hydrofluoric acid, can be harmful to the environment and must be handled and disposed of properly.

Regulations: The use and handling of tungsten hexafluoride are subject to regulations and safety protocols to ensure the protection of workers and the environment. Regulatory bodies provide guidelines for the safe handling and disposal of WF6 and its byproducts.

### Product Spec:

Tungsten Hexafluoride WF6 GAS

CAS No.: 7783-82-6

EINECS No.: 232-029-1

UN No.: UN2196

Purity: 99.999%

Dot Class: 2.3

Appearance: Colorless

Grade Standard: Electron Grade, Industrial Grade

### The COA of Product:

Test items	Units	Quality requirements	Test results
CF4	ppm	<0.5	<0.01
O2	ppm	<0.5	<0.01
N2	ppm	<1	0.03
CO	ppm	<0.5	<0.02
CO2	ppm	<0.5	<0.01
SiF4	ppm	<0.5	<0.1
SF6	ppm	<0.5	<0.1
HF	ppm	<5	0.19
Al	ppb	≤10	<0.020
As	ppb	≤10	<0.001
B	ppb	≤10	<0.005
Ca	ppb	≤5	<0.200
Cd	ppb	≤2	<0.001
Cr	ppb	≤10	<0.020
Fe	ppb	≤10	<0.007
K	ppb	≤5	<0.100
Mn	ppb	≤10	<0.001
Na	ppb	≤5	<0.040
Th	ppb	≤0.1	<0.001
Ti	ppb	≤10	<0.002
Li	ppb	≤10	<0.002
U	ppb	≤0.05	<0.001
Zn	ppb	≤10	<0.005
Si	ppb	≤10	<0.100
Pb	ppb	≤10	<0.001
P	ppb	≤2	<0.300
Mg	ppb	≤10	<0.020
Ni	ppb	≤20	<0.030
Cu	ppb	≤5	<0.005
Mo	ppb	≤10	<0.001
Total impurities of other metal	ppb	≤500	<0.0010

### Detailed Photo



Company Profile



Shanghai Kemike Chemical Co., Ltd is staffed by trained personnel, combine many years experience in Gas industry .We supply cylinder gas, electronic gas, etc ., and the gas holder, panel, valves and fittings and other equipment, parts and engineering services to our customers in China and worldwide; The products are involved in various industrial fields, such as semiconductor chip, solar cell, LED, TFT-LCD, optical fiber, glass, laser, medicine , etc., Our mission is to partner with our global customers to provide support, solutions and quality products that are innovative, reliable, and safe. Our products mainly include: H<sub>2</sub>, O<sub>2</sub>, N<sub>2</sub>, Ar, CO<sub>2</sub>, propane, acetylene, helium, laser mixed gas, SiH<sub>4</sub>, SiH<sub>2</sub>Cl<sub>2</sub>, SiHCl<sub>3</sub>, SiCl<sub>4</sub>, NH<sub>3</sub>, CF<sub>4</sub>, NF<sub>3</sub>, SF<sub>6</sub>, HCL, N<sub>2</sub>O, doping mixed gas (TMB, PH<sub>3</sub>, B<sub>2</sub>H<sub>6</sub>) and other electronic gases.

SiCl <sub>4</sub>	NH <sub>3</sub>	NH <sub>3</sub>	CH <sub>3</sub> F	SiH <sub>4</sub>	Kr	H <sub>2</sub> S	WF <sub>6</sub>	F <sub>6</sub> +Cl <sub>2</sub>
4MS	C <sub>3</sub> F <sub>8</sub>	C <sub>3</sub> F <sub>8</sub>	TEOS	CH <sub>4</sub>	PH <sub>3</sub>	SF <sub>6</sub>	C <sub>2</sub>	HCl+Ne
CF <sub>4</sub>	C <sub>4</sub> F <sub>8</sub>	SiH <sub>2</sub>						TMB+H <sub>2</sub>
SiF <sub>4</sub>	C <sub>3</sub> H <sub>8</sub>	Cl <sub>2</sub>						He +As
BBr <sub>3</sub>	C <sub>3</sub> H <sub>6</sub>	DCE						Ge+Se
POCl <sub>3</sub>	N <sub>2</sub>	SO <sub>2</sub>						D+B
BCl <sub>3</sub>	D <sub>2</sub>	CO <sub>2</sub>						CO+NO
SiHCl <sub>3</sub>	CH <sub>2</sub> F <sub>2</sub>	HF	AsH <sub>3</sub>	C <sub>2</sub> H <sub>4</sub>	C <sub>2</sub> H <sub>2</sub>	HBr	COS	Ar+O <sub>2</sub>
TMAI	DMZn	DEZn	GeH <sub>4</sub>	C <sub>2</sub> H <sub>6</sub>	B <sub>2</sub> H <sub>6</sub>	H <sub>2</sub> Se	GeCl <sub>4</sub>	Xe+NO



 Shanghai Kemike Chemical Co.,Ltd

 +86 18762990415

 williamchen@cmc-chemical.com

 gascylindertank.com