



China Cylinder Gas Best Price Refillable HF Gas Hydrogen Fluoride

Our Product Introduction

for more products please visit us on gascylindertank.com

Basic Information

- Place of Origin: China
- Brand Name: CMC
- Certification: COA
- Model Number: Hf
- Minimum Order Quantity: 1kg
- Price: US \$2/kg
- Packaging Details: Cylinder/Tank
- Delivery Time: 15 days
- Payment Terms: L/C, T/T
- Supply Ability: 50000kg/month



Product Specification

- Product Name: Hydrogen Fluoride
- Working Pressure: 15MPa
- Test Pressure: 22.5MPa
- Transport: Sea Transportation
- Transport Package: 40L, 47L, 50L Etc
- Specification: 40L, 47L, 50L Etc
- Trademark: CMC
- Origin: China
- HS Code: 2812190091
- Supply Ability: 30000 Metric Ton Per Year
- CAS No.: 7664-39-3
- Formula: Hf
- EINECS: 7783-82-6
- Constituent: Industrial Pure Air
- Grade Standard: Industrial Grade



More Images



Product Description

Product Description

Hydrogen fluoride (HF) gas is a colorless, highly corrosive, and toxic gas. It is composed of one hydrogen atom bonded to one fluorine atom. HF is a compound of fluorine, which is the most electronegative element, making HF highly reactive and capable of dissolving many materials, including glass.

Here are some key points about hydrogen fluoride gas:

Properties: Hydrogen fluoride is a gas at standard temperature and pressure. It has a pungent odor and can be detected even at low concentrations. HF is highly soluble in water, and when dissolved, it forms hydrofluoric acid (HF(aq)), which is equally corrosive and poses similar health risks.

Industrial Applications: Hydrogen fluoride is used in various industrial processes. It is commonly employed in the production of fluorocarbons, which are used as refrigerants, propellants, and as raw materials in the manufacturing of plastics and polymers. HF is also used as a catalyst and in the production of aluminum, uranium, and other metals.

Health Hazards: Hydrogen fluoride is extremely corrosive and toxic. It can cause severe burns on contact with the skin and eyes. Inhalation of HF gas or its vapors can lead to respiratory distress, lung damage, and potentially fatal systemic effects. Chronic exposure to low levels of HF can result in long-term health complications.

Safety Precautions: Handling hydrogen fluoride requires strict safety measures. Personal protective equipment, such as chemical-resistant gloves, goggles, and respiratory protection, should be worn when working with HF. Adequate ventilation and engineering controls, such as fume hoods and exhaust systems, are necessary to minimize exposure.

Emergency Response: In the event of an HF exposure, immediate medical attention is crucial. Affected individuals should be moved to fresh air, and contaminated clothing should be removed. Contact with HF should be rinsed with copious amounts of water, and medical professionals should be informed of the exposure for appropriate treatment.

Due to the severe health hazards associated with hydrogen fluoride gas, its handling, storage, and use should strictly adhere to safety guidelines and regulations. Proper training, risk assessments, and emergency response procedures are essential when working with HF.

Basic Info.


Model No:	HF	Purity	99.95%%
Transport Package	ISO Tank/Cylinder	Specification	ISO Tank/Cylinder
Appearance	CMC	Origin	Suzhou,China
HS Code	2812190091	Production Capacity	30000 Metric Ton Per Year

Specification:

Items	Details		
	A	B	C
Hydrofluoric Content ppm ≥	99.99	99.95	99.90
Moisture ppm≤	50	300	600
Fluorosoilicic Acid ppm≤	30	100	200
Sulfur dioxide(SO2) ppm≤	20	70	150
Non-volatile Acid(H2SO4) ppm≤	20	50	200
Non-volatile Acid(H2SO4) ppm≤	20	50	200
As ppm ≤	5	10	

Detailed Photos







Company Profile



Shanghai Kemike Chemical Co., Ltd is staffed by trained personnel, combine many years experience in Gas industry .We supply cylinder gas, electronic gas, etc ., and the gas holder, panel, valves and fittings and other equipment, parts and engineering services to our customers in China and worldwide; The products are involved in various industrial fields, such as semiconductor chip, solar cell, LED, TFT-LCD, optical fiber, glass, laser, medicine , etc., Our mission is to partner with our global customers to provide support, solutions and quality products that are innovative, reliable, and safe. Our products mainly include: H₂, O₂, N₂, Ar, CO₂, propane, acetylene, helium, laser mixed gas, SiH₄, SiH₂Cl₂, SiHCl₃, SiCl₄, NH₃, CF₄, NF₃, SF₆, HCL, N₂O, doping mixed gas (TMB, PH₃, B₂H₆) and other electronic gases.

 **Shanghai Kemike Chemical Co.,Ltd**



+86 18762990415



williamchen@cmc-chemical.com



gascylindertank.com